Printing date 02/06/2014

Reviewed on 02/06/2014

#### **1** Identification

- · Product identifier
- · Trade name: WAKOL MS 260 Wood Flooring Adhesive, hard-flexible
- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- · Application of the substance / the mixture Adhesives
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Loba-Wakol LLC 521-C Eagleton Downs Dr. Pineville, NC 28134, USA +1 704 527 5919

· Information department: Industrial Safety Department

- Emergency telephone number:
- 24-hour-Emergency-Telephone-Number (GBK Contract ID: 98229): (001) 352 323 3500

#### 2 Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Classification system:
- The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- · Label elements
- *Labelling according to EU guidelines: The product is not subject to classification.*
- Observe the general safety regulations when handling chemicals.
- · Safety phrases: Keep out of the reach of children.
- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0	Health = 0
FIRE 1	Fire = 1
REACTIVITY 0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

#### **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Adhesive

· Dangerous components: Void

(Contd. on page 2)

Printing date 02/06/2014

Reviewed on 02/06/2014

#### Trade name: WAKOL MS 260 Wood Flooring Adhesive, hard-flexible

(Contd. of page 1)

#### 4 First-aid measures

- · Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Clean with water and soap. If possible, also wash with polyethylene glycol 400.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Call a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- *CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.* • *Special hazards arising from the substance or mixture*
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiatory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

- *Environmental precautions:* Do not allow product to reach sewage system or any water course.
- *Methods and material for containment and cleaning up: Pick up mechanically.*

Dispose contaminated material as waste according to item 13.

• Reference to other sections See Section 7 for information on safe handling.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling Use only in well ventilated areas.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from humidity and water.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)

-USA -

Trade name: WAKOL MS 260 Wood Flooring Adhesive, hard-flexible (Contd. of page 2) · Control parameters · Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. CAS No. Designation of material % Type Value Unit · Additional Occupational Exposure Limit Values for possible hazards during processing: 67-56-1 methanol PEL (USA) 260 mg/m<sup>3</sup>, 200 ppm REL (USA) Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin TLV (USA) Short-term value: 328 mg/m<sup>3</sup>, 250 ppm Long-term value: 262 mg/m<sup>3</sup>, 200 ppm Skin; BEI IOELV (European Union) 260 mg/m<sup>3</sup>, 200 ppm Skin 270 mg/m<sup>3</sup>, 200 ppm AGW (Germany) 4(II);DFG, EU, H, Y · Additional information: See Section 10. The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. · Breathing equipment: Not necessary if room is well-ventilated. · Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended. After each cleaning use treatment creams, for very dry skin greasy ointments. · Eye protection: Not required.

## 9 Physical and chemical properties

Appearance: Form:	Pasty	
Color:	Cream colored	
Odor:	Odorless	
Change in condition Boiling point/Boiling range:	Undetermined.	
Flash point:	234 °C (453 °F)	
Ignition temperature:	375 °C (707 °F)	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

Reviewed on 02/06/2014

Printing date 02/06/2014

Printing date 02/06/2014

Reviewed on 02/06/2014

Trade name: WAKOL MS 260 Wood Flooring Adhesive, hard-flexible

		(Contd. of page 3)
· Density at 20 °C (68 °F):	1.74 g/cm <sup>3</sup> (14.52 lbs/gal) (EN ISO 2811-1)	
• Solubility in / Miscibility with Water:	Insoluble.	
· Viscosity: Dynamic at 20 °C (68 °F):	115000 mPas (ISO 2555)	
<ul> <li>Solvent content:</li> <li>VOC content:</li> <li>Other information</li> </ul>	0.00 % No further relevant information available.	

## 10 Stability and reactivity

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.
- · Additional information: Product releases low quantities of methanol during appropiated application.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- · NTP (National Toxicology Program)
- None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 5)

USA -

Printing date 02/06/2014

Reviewed on 02/06/2014

#### Trade name: WAKOL MS 260 Wood Flooring Adhesive, hard-flexible

(Contd. of page 4) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.

• Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information · UN-Number · DOT, ADR, ADN, IMDG, IATA Void · UN proper shipping name · DOT, ADR, ADN, IMDG, IATA Void · Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class Void · Packing group · DOT, ADR, IMDG, IATA Void · Environmental hazards: · Marine pollutant: No · Special precautions for user Not applicable. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: Not dangerous according to the above specifications. $\cdot DOT$ · Remarks: not regulated · ADR · Remarks: not regulated · IMDG · Remarks: not regulated $\cdot IATA$ · Remarks: not regulated

## 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 6)

USA

USA

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/06/2014

Reviewed on 02/06/2014

Trade name: WAKOL MS 260 Wood Flooring Adhesive, hard-flexible

	(Contd. of page
TSCA (Toxic Substances Control Act):	
All ingredients are listed or are not required to be listed on the TSCA inventory.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Product related hazard informations:	
The product is not subject to classification.	
Observe the general safety regulations when handling chemicals.	
· National regulations:	
· VOC:	
• <b>VOC</b> ( <b>USA</b> ): 0,0 g/l / 0,0 lb/gl	
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
	_
Other information	

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Industrial Safety Department.
- · Contact: Dr. Thomas Wieland