Revision: 20.05.2014

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2014

1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Product name LOBASOL HS 2K Impact Oil Härter • Article number: 10610-2 • Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Hardening agent/ Curing agent · Details of the supplier of the safety data sheet · Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 Tel.: +49 (0)7156/357-0 D-71254 Ditzingen · Informing department: Productmanagement e-mail: service@loba.de · Emergency telephone number: Germany: Giftnotruf Berlin, Tel. +49 (0)30 30386 790 International: INFOTRAC, Tel. +1 352 323 3500 **2** Hazards identification · Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Sens. 1 H317 May cause an allergic skin reaction. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Sensitising  $R43 \cdot$ May cause sensitisation by skin contact. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. · Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labelling: Aliphatic polyisocyanate hexamethylene diisocyanate · Hazard statements H317 May cause an allergic skin reaction. · Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P273 Avoid release to the environment. P363 Wash contaminated clothing before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Contains isocyanates. May produce an allergic reaction. (Contd. on page 2)

- GB

Printing date 20.05.2014

Revision: 20.05.2014

#### Product name LOBASOL HS 2K Impact Oil Härter

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with harmless additions.

## · Dangerous components:

· Dangerous components:		
CAS: 28182-81-2	Aliphatic polyisocyanate	50-100%
NLP: 500-060-2	🗙 Xi R43	
	🚸 Skin Sens. 1, H317	
CAS: 822-06-0	hexamethylene diisocyanate	<0.5%
EINECS: 212-485-8	🈡 T R23; 🗙 Xn R42/43; 🗙 Xi R36/37/38	
	Acute Tox. 3, H331; 🐼 Resp. Sens. 1, H334; 🕦 Skin Irrit. 2, H315;	
	Eye Irrit. 2, H319; Skin Šens. 1, H317; STOT SE 3, H335	

• Additional information For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

#### · Description of first aid measures

- · After inhalation
- Supply fresh air and call for doctor for safety reasons.
- In case of unconsciousness bring patient into stable side position for transport.
- $\cdot$  After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

# **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- Do not allow product to reach sewage system or water bodies.
- Inform respective authorities in case product reaches water or sewage system.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

(Contd. of page 1)

Printing date 20.05.2014

Revision: 20.05.2014

(Contd. of page 2)

#### Product name LOBASOL HS 2K Impact Oil Härter

See Section 13 for information on disposal.

# 7 Handling and storage

#### · Handling

- **Precautions for safe handling** Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class 10
- *Specific end use(s) No further relevant information available.*

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

822-06-0 hexamethylene diisocyanate (<0.5%)

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

• Additional information: The lists that were valid during the compilation were used as basis.

- · Exposure controls
- · Personal protective equipment
- $\cdot$  General protective and hygienic measures

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

- · Protection of hands:
- Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses recommended during refilling.

(Contd. on page 4)

GB

Printing date 20.05.2014

s

Revision: 20.05.2014

#### Product name LOBASOL HS 2K Impact Oil Härter

(Contd. of page 3)

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Colour:	According to product specification	
Smell:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	> 300 °C	
Flash point:	193 °C	
Inflammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive.	
Lower:	Not determined.	
Upper:	Not determined.	
Steam pressure:	Not determined.	
Density at 20 °C	1.11 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic at 20 °C: Other information	500 s (DIN 53211/4) No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. • Possibility of hazardous reactions
- Reacts with alcohols, amines, aqueous acids and alkalis Reacts with water
- Danger of bursting
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 5)

GB

Printing date 20.05.2014

Revision: 20.05.2014

#### Product name LOBASOL HS 2K Impact Oil Härter

(Contd. of page 4)

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritant effect.
- Sensitization: Sensitization possible by skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

### **12** Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

• European waste catalogue 08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01 00 wastes from MFSU and removal of paint and varnish

08 01 11\* waste paint and varnish containing organic solvents or other dangerous substances

#### · Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · ADR, ADN, IMDG, IATA	Void	
		(Contd. on page 6)

Printing date 20.05.2014

Revision: 20.05.2014

#### Product name LOBASOL HS 2K Impact Oil Härter

	(Contd. of page 5)
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	f Not applicable.
· UN ''Model Regulation'':	-

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (\*).

#### · Relevant phrases

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
R23	Toxic by inhalation.
	8 Irritating to eyes, respiratory system and skin.
R42/43	May cause sensitisation by inhalation and skin contact.
R43	May cause sensitisation by skin contact.
• Denartm	ent issuing data specification sheet: Productmanagement.
-	Dr W. Ehmann
	tions and acronyms:
RID: Règle Internation	ment international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the al Transport of Dangerous Goods by Rail)
	rnational Civil Aviation Organization
	rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International f Dangerous Goods by Road)
	ernational Maritime Code for Dangerous Goods
	national Air Transport Association
	ally Harmonized System of Classification and Labelling of Chemicals
	Curopean Inventory of Existing Commercial Chemical Substances
	uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society)
CAS. Chen	(Contd on pogo 7)

Printing date 20.05.2014

Revision: 20.05.2014

### Product name LOBASOL HS 2K Impact Oil Härter

Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • \* Data compared to the previous version altered. (Contd. of page 6)

GB -